

Product Glance



NEW TECH

PHARMACEUTICALS PVT. LTD.

(Animal Health Division)



Manufacturer of :
PATENT AYURVEDIC VETERINARY
MEDICINE & FEED SUPPLEMENTS

POWER

Calcium Fast Bolus

FEED SUPPLEMENTS BOLUS OF CALCIUM, PHOSPHORUS WITH VITAMIN A, D3, B12, E, BIOTIN, Leptadenia, Cobalt & Magnesium

Each Bolus Contains
Try Basic Calcium Phosphate 4.8 g.
Vitamin A 72000 I.U.
Vitamin D3 44000 I.U.
Vitamin E 288 mcg.
Leptadenia Reciculata 500 mg.
Cobalt Chloride 100 mg.
Magnesium 4.2 mg.
Biotin (Vitamin H) 200 mcg.

Dosage :
Large Animal 1 Bolus Daily
Calves 1/2 Bolus Daily
Poultry : 1/2 Bolus Per 100 birds
As a top dressing double the dose in heavy calcium deficiency
Presentation :
60 Bolus per Box



Probiotics with Enzyme, Biotin & Other Metabolites

Rumen Care BOLUS

DOSAGE :
LARGE ANIMAL :
2 BOLUS DAILY FOR 4 DAYS
SMALL ANIMAL :
1 BOLUS DAILY FOR 4 DAYS

Each Coated Bolus Contains :

Saccharomyces Cerevisiae 25 billion CFU
Lactobacillus Sporogenes 20 million CFU
Aspergillus Oryzes 20 million CFU
Biotin 10 mg.
DL-methionine 1gm.
Zinc Sulphate 200 mg.
Cobalt Sulphate 40 mg.
Copper Sulphate 100 mg.
Fructo Oligosaccharide 250 mg.

INDICATIONS

- ◀ Prolonged off-feed Condition
- ◀ Adjunct to Antidiarrhoeals
- ◀ Post weaning micro-floral replacer
- ◀ An Ideal remenotonic
- ◀ Excellent Result in anorexia and Indigestion

Packing :
10 X 4 BOLUS



Heat Fast Bolus

Each Bolus Contains :

Vitamin A 20,000 I.U., Vitamin D 1500 I.U., Vitamin E 4 mg. Cobalt Chloride 40 mg., Copper Sulphate 200 mg., Potassium Iodide 4 mg., Ferrous Sulphate (Iron) 200 mg., Magnesium Sulphate 700 mg., Selenium 1 mg., Zinc Sulphate 60 mg., Calcium 2 gm., Phosphorus 1 gm.,

INDICATION :

- ◀ To Improve Breeding Efficiency
- ◀ Maintain Healthy Pregnancy
- ◀ Ensure Normal Delivery,
- ◀ Improve fertility & general health

DOSAGE : After deworming 1 to 2 bolus daily in large animals



Packing : 10 X 4 Bolus

Rumen Care POWDER

Probiotics with Enzyme, Biotin & Other Metabolites

Each 100 gm. Contains

Dried Yeast 25 billion CFU
Saccharomyces Cerevisiae 25 billion CFU
Lactobacillus Sporogenes 20 million CFU
Aspergillus Oryzes 20 million CFU
Biotin 10 mg.
DL-methionine 1gm.
Zinc Sulphate 200 mg.
Cobalt Sulphate 40 mg.
Copper Sulphate 100 mg.
Fructo Oligosaccharide 250 mg.

INDICATIONS

- Prolonged off-feed Condition
- Adjunct to Antidiarrhoeals
- Post weaning micro-floral replacer
- An Ideal remenotonic
- Excellent Result in anorexia and Indigestion

DOSAGE :

LARGE ANIMAL :
20 g. Daily for 5-7 days
SMALL ANIMAL :
10 g. Daily for 5-7 days

Packing :
100 g., 200 g., 500 g., 1 Kg.



N-PLEX

B-COMPLEX VITAMINS WITH AMINO ACIDS

Dosage :

Poultry : In Drinking water

Layers : 1 ml/1 Ltr. for 5-7 days

Breeders : 2 ml / 1 Ltr for 5-7 days/month

Large Animal : 20-25 ml. per day

Small Animal : 10-15 ml. per day or as dictated by the Veterinarian.

Composition :

Each 10 ml. contains :

Vitamin B2 1.25 mg.
Vitamin B5 0.62 mg.
Vitamin B12 6.25 mcg.
D-panthenol 1.25 mg.
Niacinamide 37.5 mg.
Choline chloride 20.0 mg.
L-lysine 10.0 mg.
DL Methionine 10.0 mg.
Folic acid 4 mg.
Excipients upto 10 ml.

Advantage :

- ◀ Prevents stress by all factors
- ◀ Covers the deficit symptoms of B-Complex Vitamins
- ◀ Improves bird health & immunity
- ◀ Enhances growth body weights
- ◀ Enhances egg productions

Presentation : 200 ml., 500 ml. 1 Ltr., 2 Ltr., 5 Ltr.



MASTITIS KILLER LIQUID

Each 100 ml contains -

L-Lysine 476.18 mg, DL-Metheonene 476.18 mg, Sodium selenite 476 mg, Zinc 142.84 mg, Trisodium Citrate 76.18 mg, Vitamin A 9522 I.U., Vitamin E 95.22 mg, vitamin H 476 mcg, Lactic and Bacillus 190 mg, Aloe vera 47.6 mg, Iodine 3.32 mg

Dosage

Calves, Sheep, Goat - 10-15 ml Twice Daily

Cow, Buffaloes - 35-60 ml Twice Daily

Presentation :

100 ml., 200 ml., 500 ml., 1 Ltr.



Thanela-00 POWDER

DOSAGE : Calves, Sheep

Goat : 10-15 gm. twice daily

Cow, Buffaloes : 35.50 gm twice daily

Composition :

Each 50 gm. Contains

L-Lysine 238.09 mg. Vitamin H 2.38 mcg.
DL-Methionene 238.09 mg. Lactic acid Bacillus 0.95 mg.
Sodium Selenite 238 mg. Aloe vera 23.80 mg.
Zinc 71.42 mg. Iodine 1.66 mg.
Trisodium Citrate 38.09 mg. Amino Nitrogen Fastified with Calcinated base
Vitamin A 4761.00 I.U.
Vitamin E 47.61 mg.



Packing :
60 g.
100 g.
200 g.
500 g.

Energy Booster

A secret of instant energy

Composition :

Propylene Glycol, Nicotionemide, Calcium Lactate, Extract of Safed Musli, Silymarin, Pueraria Minifica Panax ginseng & Puridied Honey. Fortified with Bioactive Chromium

Usage :

- ◀ Increases Availability of energy.
- ◀ Chromium helps in glucose metabolism.
- ◀ Helps ot bring back animal to feed.
- ◀ Helps to maintain normal blood glucose level.
- ◀ Help to reduce risk of Subclinical Ketosis.
- ◀ Optimizes milk Production.

DOSAGE :

Cattle and Buffalo :
100 to 200 ml. once daily

Packing :
500 ml., 1 Ltr.



POWER ENZYME POWDER

DOSAGE :

Calf, Foat, Sheep & Goat 10 gm.

Cow, Buffalo & Horse 20 gm. Twice a day with feed

Poultry 1 kg/ton of feed

COMPOSITION :

Pueraria Tuberosa 5.0 gm. Eclipta alba 5.0 gm.
Hemidesmus Indica 5.0 gm. Sindhav salt 15.0 gm.
Phyllanthus Niruri 10.0 gm. Beed lavan 5.0 gm.
Terminatia Chebula 10.0 gm. Ammonium chloride 5.0 gm.
Andrographis Paniculata 10.0 gm. Sodium Bicarbonate 5.0 gm.
Trachyspermum ammi 4.0 gm. Allium Sativam 2.0 gm.
Zingiber officinale 2.0 gm. Excipients q.s.
Boerhavia diffusa 4.0 gm. Presentation : 100 g., 250 g., 500 g., 1 Kg., 25 Kg.

ADVANTAGES :

1. To stimulates appetite.
2. To stimulates liver and helps digestion / anorexia.
3. To Boost up the formation of digestive enzymes.
4. To increase resistance against bacterial & viral attacks.
5. To normalises the P.H. of rumen.
6. To Improves egg production in layers.
7. To improves better milk production
8. To exert a tonic activity.



BLOAT-NIL ANTIBLOAT LIQUID

COMPOSITION :

Each 100 ml. Contains
Mellotus Philippinensis (Kabila) 1.5 g.
Ferula Narthex (Hing) 1.0 g.
Sulphur Sublimate (Gandhak) 0.5 g.
Pinus Longifolia (Tarpeen) 48 ml.
Linum Usitatissimum (Alsi) q.s.

Presentation :

100ml., 200 ml., 500 ml., 1Ltr.

INDICATION

Fluffy Rumen
Fluffiness of Rumen with Foam at the mouth
In-Indigestion

DOSAGE :

Cow and Buffalo : 50-100 ml.
Sheep and Goat : 10-20 ml. with 10-20 water.
During More Bloatiness repeat 2-3 times with gap.



POWER

Multivitamin-H

Dosage

Large Animals : 10 ml. per day
Small Animals : 05 ml. per day

Composition

Each 5 ml. contains :

Vitamin A	2,50,000 I.U.
Vitamin D3	50,000 I.U.
Vitamin E	300 I.U.
Biotin	10,000 mcg.
Copper	500 mcg.
Zinc	250 mg.
Selenium	150 mcg.
Excipients	q.s.

Advantages :

- Enhances growth of teats
- Increases quantity of milk production and improves quality of milk.
- Improves whole body growth.
- Prevents from mastitis.
- Prevents relief from stress
- Prevents hairfall



Packing :
250 ml.
500 ml.
1 Ltr.

CHELATED

Vit+Min FORTE Powder

Vitamins & Chelated Mineral Combination
For Better Productivity & Growth

Composition

Each 1 Kg. Has Nutritional Value Of :

Vitamin A	700000 I.U.	Manganese	1500 mg.
Vitamin D3	700000 I.U.	Potassium	100 mg.
Vitamin E	250 I.U.	Selenium	10 mg.
Nicotinamide	1000 mg.	Sodium	5.9 mg.
Cobalt	150 mg.	Sulphur	0.75 mg.
Copper	1200 mg.	Zinc	9600 mg.
Iodine	325 mg.	Calcium	280 gm.
Iron	1500 mg.	Phosphorus	125 gm.
Magnesium	6000 mg.		

Advantages :

25g To 30g Per Cow/buffalo Per Day To Be Mixed In The Feed For Maintenance And For Butter Milk Production 30g To 15g Per Call Per To Be Mixed In The Feed For Better Weight Gains 25g To 30g Per Day To Be Mixed In 100 Kg Of Feed
Fish 1 Kg Of Methochilated Powder To Be Mixed 10 100 Kg Of Feed

Presentation : 1 Kg., 5 Kg., 25 Kg.



Strong Uterine TONIC

Dosage

Cow, Buffalo : 100-140 ml. per day
Horses : 75-80 ml. per day
Sheep, Goat : 25-50 ml. per day

Composition :

Each 100 ml. contains :

Agethu	200 mg.	Medhika	150 mg.
Sripthal	200 mg.	Paral	200 mg.
Ghikanwar	200 mg.	Roth	200 mg.
Kokantak	200 mg.	Ashwagandha	200 mg.
Kambha	200 mg.	Leptadaenia Retiucata	200 mg.
Kankali	200 mg.	Asparagous	200 mg.
Kanthkari	200 mg.	Lysine	50 mg.
Mayurak	20 mg.	Zinc Sulphate	50 mg.
Kasis	40 mg.	Cobalt Chloride	5 mg.
Tankan	40 mg.	Copper Sulphate	100 mg.

Advantages :

- After fullil in deficiency of blood and provides energy to animal.
- fullil complete leaning of uterus and prevents the animal from infection.
- Prevents from diseases like matritis and pyometra.
- Also useful in inflammation uterus, late pregnancy, when placenta not expels out timely weakness of uterine muscles less quantity of milk



Packing :
500 ml.,
1 Ltr.

Exclusive

Super Strong Ionic Calcium Paste Enriched with Carbohydrates, increase milk output

Milk More Gel

Directions For Use:

For highest Milk field, adminster one bottle Per animal per day for 5-10 days or as directed by the venterinarion
To prevent milk fever :- Give one bottle at the first stage of caluing & give another bottle as needed or asdirected by the veterinarian very senetice post caluing dose is

Composition:

Each 450 gm contains :

Calcium Chloride	100 gm
Phosphorus	10 gm
Vitamin D3	96000 I.U
Vitamin B12	1200 mcg
Zivanti Extract	3000 mg
Shatavari Extract	3000 mg
Magnesium	4580 mg
Calcium Propionate	450 mg
Carbohydrates	40000mg
Energy	500 Calories

Advantages

- Prevention of Milk Fever
- Fulfilling the urgent Calcium requirement immediately after parturition\
- Increased Milk Production.
- Improve Liver Functions
- Provide Balance Energy

Presentation : 300 g.



Powercal™ AD3

Dosage :

Cattle & Horse	100 ml. Daily
Calves	40 ml. Daily
Sheep, Goat, Pig	20 ml. Daily
Poultry	For 100 Birds.
Chicken & Broilers	10-20 ml.
Growers	20-40 ml.
Layers	50-100 ml.

Composition

Each 100 ml provides

Calcium	6100 mg	Satavari	1000 mg
Phosphorus	3050 mg	Jivanti	1000 mg
Vitamin A	45000 IUI	Piper Longum	400 mg
Vitamin D3	12000 IU	Zinc	1500 mg
Vitamin E	150000 mcg	Selenium	450 mg
Vitamin B12	100 mcg	Copper	500 mg
Vitamin H	100 mcg	Carbohydrate	25000 mg
Chromium	200 ppm		

Advantages :

- Increases Milk Yield.
- Improve Skeletal & Muscular Strength.
- Prevents Milk Fever
- Optimizes Fat Level
- Increases Egg Quality & Thickness of Egg Shell

Presentation : 1 Ltr., 2 Ltr., 5 Ltr.
10 Ltr., 20 Ltr.



POWER

LIV- STRONG

Appetite stimulant, Digestive & Liver protectant Tonic

Dosage:

Poultry (for 100 Birds)

Chicks	5-10 ml daily
Broiler and Layer	15-20 ml daily
Breeder	20-25 ml daily
Large Animals	100 ml. daily
Small Animals	50 ml daily

Or as directed by veterinarian

Composition

Each 100ml. Contains water

extractives derived from the

following herbs

D.L. methionine	
I-Lysine HCL	500 mg.
Inositol	300 mg.
silybum mariarum	150 mg.
Andrographis Paniculata	900 mg.

Soplanum nigrum	1000 mg.
Ocimum sanctum	1000 mg.
Setaine	1500 mg.
Choline Chloride	50 mg.
Ferrous Gluconate	300 mg.
Terminalia Chebula	300 mg.
Terminalia Belerica	200 mg.
Embllica officnailis	300 mg.
Aqua	q.s.

Indication :

- Improve Hepatic functions.
- Enhance appetite with better digestion and assimilation
- Better F.C.R. With Optimum growth and production
- Improve Health with Haematinic Effect

Presentation : 200 ml., 500 ml., 1 Ltr., 5 Ltr.



METO-CHELATED FEED SUPPLEMENT WITH VITAMINS & POTENT HERBS

Vit + Min GOLD

Extra Power of Metho Chelated & Enzyme's

Dosage : Addition in cattle, Fish & Poultry :-1 Kg. in 100 kg of feed daily
For Adult Horse : Add 35-40g. in feed daily
For Calves, Heifers :- 30-40 g. in feed daily.

Composition

Nutritional Value Per 1 Kg.

Vitamins :-	
Vitamins A	10,00,000 I.U.
Vitamins D3	1,50,000 I.U.
Vitamins E	500 mg.
Vitamins B12	2000 mcg.
D-Biotin	500 mcg.
Nicotinamide	1000 mg.
Vitamin C	500 mg.
Macro Minerals	
Calcium	25%
Phosphorus	12.75%
Glactogogues	
Jivanti	10,000 mg.
Shatavari	10,000 mg.

Micro Minerals :-

Cobalt	200 mg.
Copper	4000 mg.
Iodine	325 mg.
Iron	1500 mg.
Magnesium	6000 mg.
Manganese	3000 mg.
Sodium	10 mg.
Potassium	100 mg.
Sulphur	15 gm.
Zinc	15 g.
Bio Active CR	100 mg.
Appetite Stimulants	
Ca Propionate	15 mg.
Choline Chloride	30 gm.
Phytase	4000 mg.
Saccharomyces Cerevisiae	90000
Lactobacillus Acidophilus	15,000 Million FU

BENEFITS

- Better growth & timely maturity of genetic organs.
- Improved Conception Rate.
- Higher Milk Production
- Improved Digestion
- Enhances Immunity Power.
- Better Fertility
- Better Milk Production

Presentation : 1 Kg., 5 Kg., 25 Kg.



POWER

COMPOUNDS / CONCENTRATES USED IN PREPARED ANIMAL FEED ANIMAL FEED SUPPLEMENT

Clear Calcium

HIGH CONTENT CALCIUM, PHOSPHORUS, VITAMINS & HERBS SUPPLEMENT

DOSAGE : 100 ml per day for adult & lactating animals
20 ml per day for small animals (canines, felines in 2 divided doses)
250 ml per day for 1000 Caged birds

COMPOSITION :

Each 100 ml. provides

Calcium	1750 mg.
Phosphorus	900 mg.
Vitamin D3	5000 I.U.
Vitamin A	50,000 I.U.
Vitamin E	50 mg.
Selenium	250 mcg.
Vitamin B12	100 mcg.
Asparagus racemosus	1000 mcg.
Laptadania reticulata	1000 mcg.

BENEFITS

Source of needed nutrients for alleviation of stress due to any cause Ideal for higher calcium and phosphorus needs of lactating animals & laying birds.
Adequate D, for better absorption and assimilation of Ca and P. Improves structural strength and stability.
Vitamin A, E & Se for improvement of immune response and ability to combat disease.
Vitamin B, for haemopoises and toned up neuronal function.
Pre & post calving administration eliminates chances of milk fever.
Asparagus & Laptadenia improve absorption of nutrients and enhance lactogenesis and galactopoiesis.



Packing :
500 ml.
1 Ltr.
2 Ltr.
5 Ltr.

NEWSEL-E

COMPOSITION : Each g. Contains

Vitamin E 100 mg., Selenium 200 mcg., L-Lysine 8 mg., DL-Methionine 5 mg., L-Tryptophane 200 mcg., Aloevera 200 mcg., Biotin 200 mcg.,

Advantages :

- Prevents Neural Problems of Chicks like "Curled toe Paralysis.
- Increases Immunity.
- Prevents ascitis, Fatty Liver Syndromes, Exudative diathesis etc.
- Increases fertility and hatchability in Breeders.

Dosage : Poultry : Chicks, Growers, Layers : 5 gm. per 200 birds
Broilers : 5 gm. per 50 birds
Breeders : 10 gm. per 100 birds



Packing :
200 gm.

Nephrocure

Herbal Anti Gout & Diuretic

DOSAGE :

Chicks	15-20 ml. daily	} for 5 days
Broiler	20-30 ml. daily	
Layers	30-40 ml. daily	
Small Animal	30 ml. daily	
Cattle	60 ml. daily	

Each 100 gm. Contains

Varuna	10 gm.
Punarnava	10 gm.
Kultata	10 gm.
Goksura	10 gm.
Palasa	8.2 gm.
Silajatu	1.6 gm.
L-Lysine	2 gm.
Excipients	q.s.
Water	q.s.

- To improve and stimulate renal functioning in the management of Gout. HPS and Ascities.
- Regulated excretion of excess uricacid and the deposition of Uricacid crystals in various organs like liver, heart, joint & kidney.
- Helps regular flushing of kidney & urinary tract of Optimum renal function.



Packing :
500 ml.
1 Ltr.
2 Ltr.

D-TOX

Anti Toxic & Antifungal Formula

COMPOSITION :

Each 100 ml. Contains

Copper Sulphate	25%
Propionic Acid	5%
Acid Acetic Glacial	2%
Lactic Acid	1%
Forbic Acid	1%
Excipients	q.w.

DOSAGE :

1-2 Per liter of water once a day for 4-6 days

Presentation :

200 ml. 500 ml., 1 Ltr.



ENRICHED WITH BIOTIN

Vitamin-H

LIQUID FEED CONCENTRATE FOR LIVESTOCK & POULTRY POWDER

Composition : Each ml has nutritional value of :
Vitamin A 20000 I.U., Vitamin D3 10000 I.U.,
Biotin (Vitamin H) 12.5 mcg., Vitamin E 50 mg.,
Vitamin C 50 mg., Vitamin B12 1 mcg.,

INDICATION :

- Improves Stamina & Body Coat
- Prevents Hair Loss
- Combats Stress
- Improves & Maintain Milk Yield

DIRECTION FOR USE : VITAGIN-H ideal for all Species. Normally The Following Quantities are Sufficient when given in drinking water or with Wet Meals for Livestock & Poultry Feeding .

DOSAGE

Cattle	: 100 ml. daily
Calves	: 5 ml. daily
Poultry (per 100 birds)	: Poultry (per 100 birds)
Chicks	: 5 ml. daily
Growers	: 7 ml. daily
Layers	: 10 ml. daily
Dog & Cat	: 2-5 ml. daily



Packing : 300 gm.

Growth

GROWTH PROMOTER & PERFORMANCE BOOSTER

Promoter

DOSAGE :

Poultry : In Drinking water : 5-7 days
Broilers : 1 ml. / 1 Litres of drinking water.
Layers : 1 ml/ 2 Litre of drinking water.
Breeders : 2 ml. / 1 Litre of drinking water.
Large Animals : 20-25 ml. per day
Small Animal : 10-15 per day or as directed by the Veterinarian.

Composition :

Each 1000 ml. contains :	
Vitamin A	1,00,000 I.U.
Vitamin D3	20,000 I.U.
Vitamin E	250 mg.
L-Lysine	10,000 mg
DL methionine	5,000 mg
Choline chloride	5,000 mg
Sodium Chloride	5,000 mg
Zinc Sulphate	3,500 mg
Manganese Sulphate	3,500 mg
Ferrous Sulphate	1,750 mg
Cobalt Sulphate	250 mg
Potassium Iodide	200 mg
Sodium Selinite	100 mg

Advantages :

- ◀ Helps for better growth in Chicks.
- ◀ Helps for better body weights in broilers.
- ◀ Helps of better egg productions in layers.
- ◀ Helps for better fertility and hatchability in breeders.
- ◀ Improves feed conversion ratio.

Presentation :

200 ml., 500 ml. 1 Ltr., 2 Ltr., 5 Ltr.



Electrolyte

POWDER

Dosage : Poultry : In drinking water
Layers & Broilers : 1 gm. / 1 Ltr.
Breeders : 2 gm. / 1 Ltr.
Cattle : As a directed by the veterinarian.

COMPOSITION :

Each 1000 gm. contains

Sodium Chloride	10 gm.
Potassium Chloride	20 gm.
Calcium gluconate	12 gm.
Vitamin C	10 gm.
Sodium Citrate	35 gm.
L-Lysine	5 gm.
DL-Methionine	3 gm.
Anhydrous dextrose	up to 100 gms.

Advantages :

- ◀ Provides energy & strength
- ◀ Relives from stress quickly
- ◀ Covers dehydration quickly
- ◀ Most suitable during summer, diseases
- ◀ transportation, moulting etc conditions

PRESENTATION : 250 gm., 500 gm., & 1 Kg.



POWER Vit-A

The High-tech solution for higher production & reproduction.

Composition :

Each ml contains :

Vitamin A : 1,00,000 I.U.
Elemental Sodium 1.2 mg.
Water Miscible base q.s.

Benefits

Improves and speeds up egg production.
Improves hatchability percentage
Boosts immunity and improves FCR Helps to recover from Vitamin-A deficiency diseases

Features

Highly stable as palmitate form
Freely water miscible
An effective immunomodulator

Administration for 100 birds :

Broilers (all stages) : 2 ml.
Layers : Chicks : 2 ml.
Growers : 5 ml.
Layers 10 ml.

To be given atleast for 7 days in a month in drinking water or as directed by the veterinarian



Respiratory Tonic RD NIL

DOSAGE :

POULTRY : 20-30 ml. daily for each 100 birds
DILUTION RATE : 150-250 ml./1000 ltr.

CHALLENGE : Respiratory problems are one of the foremost reasons for heavy economic losses in poultry. These could be bacterial or viral or allergen induced. Though bacterial problems can be treated with anti-bacterials. But, blockage of respiratory passages leads to dyspnea (breathlessness) which is a major cause of severe stress and makes survival and cure difficult for poultry.
Need : A special therapy is needed which gives quick relief in breathing difficulty irrespective of cause.
SOLUTION : RD NIL is specially developed therapy for all segments of poultry as a cost effective solution which gives quick relief in all type of breathing problems, irrespective of origin viz. infectious or non infectious.
CONTENTS : Eucalyptus oil 25%, Thyme Oil 20%, Mint Oil 20%, Menthol 10%, Camphor 2%, Clove Bud 5%, Boric Acid 5%, Lavender 2%, Sage 2%, Adhatoda Vashtika (Vashtika) 5% & other like cineol, Borneol, Thymol. Solvent features : RD NIL is water soluble and stable liquid.
RD NIL is combination of herbal oils which are most renowned since ancient times as per Indian indigenous medicinal systems and are in use since ages world over.

RD NIL act as local anesthetic, anti-inflammatory, analgesic, antiseptic and decongestant.
RD NIL has efficacy against wide range of pathogens.
RD NIL, relieves respiratory congestion of any origin.
RD NIL blocks mediators of inflammatory reactions, prevent and control inflammations and excessive accumulation of mucus.
RD NIL, relieves in bronchitis and laryngitis and tracheal symptoms.
RD NIL improves efficacy of any antibacterial treatment. By reducing inflammations and mucus. RD NIL improves oxygen intake and also prepares ready platform for antibiotic to work effectively by reducing chances of bio-film formation.
INDICATIONS :
To control & prevent respiratory conditions when bird is infected with CRD Infectious Coryza or IB.
To alleviate post vaccination reaction condition e.g. ND & IB vaccines.
To control sneezing, cough and breathing difficulty irrespective of any origin.
To provide relief during hot weather by spraying in the shed.

SPECIFIC INDICATIONS :
1. Start RD NIL after Newcastle Disease vaccination from 3rd day & continue for a period of 4-5 days to reduce adverse effects of vaccine.
2. Use RD NIL, for 3-5 days, in case of severe outbreaks when difficulty in breathing is too much.
ADMINISTRATION :
RD NIL can be added to water tank or sprayed in shed with any sprayer.
Make a solution of required quantity of RD NIL initially in 500ml - 1 Liter of Lukewarm water (40°C) and add this solution to.
In summer - 40 Ltr of cold/normal water per 1000 bird.
In winter - 2-3 hours of normal drinking water.
CAUTION :-
In hot weather RD NIL should be administered through water early in the morning and late in the evening. During noon RD NIL should be sprayed only. In case, bird hesitates to drink because of medicine fumes, water for dilution can be increased by 15-20% or sugar, jaggery or saccharine.
Presentation : 100 ml., 200 ml., 500 ml., 1 Ltr.



IMMU-CARE

An Ultimate Immunity Builder for Poultry & Cattle

Composition

Each 10 ml. contains:

Vitamin E	35 mg.
Selenium	10 ppm
Glycine	100 mg.
Amla	30 mg.
Sodium Citrate	25 mg.
Potassium Chloride	5 mg.
Manganese Sulphate	7.5 mg.
Zinc Sulphate	8.0 mg.
Yeast Extract	35 mg.
Vitamin B12	3 mcg.

Dosage

For Poultry (100 Birds)

Broilers : 10 - 15 ml.
Layers : 15 - 20 ml.
Breeders : 25 - 30 ml.

Cattle

Cow & Buffalo : 40 - 50 ml.
Goat, Sheep & Pig : 25-30 ml.

Should be given daily for 7-10 days, every month or as recommended by veterinarian.

BENEFITS :

- To build resistance power against diseases and stress in cattle & poultry
- To overcome speedy recovery from viral infection.
- Treatment of anoestrus due to nutritional deficiency.
- To increase conception rates after every AI.
- To prevent ketosis in high yielding animals.
- To combat location stress.
- For general health and productivity.
- For optimum follicular growth.
- To prevent clinical and subclinical infection.
- Aiding in the recovery after surgical operations.



Presentation : 100 ml., 200 ml., 500 ml., 1 Ltr.

Nephrosafe

Anti Gout & Diuretic

DOSAGE : POULTRY :

Layers : 1ml. / 1 Ltr of drinking water for 7-10 days
Boilers : 2 ml./ 1 Ltr. of drinking water for 5-7 days
Breeders : 2-3 ml. / Ltr. of drinking water for 7-10 days
Follow the advice of a Registered veterinary practitioner.

Composition :

Each 100 ml. Contains

Vitamin A	1,00,000 I.U.
Choline Chloride	1,500 mg.
Ammonium Chloride	2,000 mg.
Excipients	Q.S.

Advantages :

Improves the function of all vital organs including kidneys
Prevents the formation of cysts / clouds / stones in the nephrotic systems
Effectively prevents the uric acid formation / gout of all kinds.

Presentation : 500 ml., 1 Ltr., 2 Ltr, & 5 Ltr.



TOXICURE+LIV

Anti Fungal Liver Tonic

DOSAGE : Poultry

Prevention : 5 ml. - 10 ml for 100 Birds
Treatment : 20ml. - 25 ml for 100 Birds

Composition :

Each 10 ml. Contains

Tricholine Citrate	2100 mg.
Choline Chloride	500 mg.
Liver Extract	100 mg.
Protein Hydrolysate	100 mg.
Methionine	10 mg.
Yeast Extract	50 mg.
Vitamin B2	2 mg.
Vitamin B12	5 mcg.

Nicine	24 mg.
D-Panthenol	2 mg.
Inositol	50 mg.
Vitamin E	50 mg.
Biotin	8 mcg.
Selenium	10 mg.
Folic Acid	4 mg.



Packing : 1 Ltr., 5 Ltr.



NEW TECH

PHARMACEUTICALS PVT. LTD.

PATENT AYURVEDIC VETERINARY MEDICINE & FEED SUPPLEMENTS

Manufactured By. :

Newtech Pharmaceuticals Pvt. Ltd.

(Animal Health Division)

AN ISO 9001 : 2015 CGMP CERTIFIED COMPANY

Kumarhera, Sai Udyog Nagar, Deharadun, Road Saharanpur-247001

Email : newtechpharma20@gmail.com

Website : www.newtechpharmaceuticals.com

